TABLE OF UHF FREQUENCIES FOR ONBOARD COMMUNICATION IN CEPT COUNTRIES (as per 04.07.2022)

Country	Frequency (MHz)	International allocation RR 5.287	National allocation (allowed for visiting ships)	Channel spacing (kHz)	Max output power (ERP) (W)	Simplex (S)	Duplex (D)	Remarks/other requirements	Additional Information (URL)
	457,525 (1) 457,550 (2) 457,575 (3) 467,525 (4) 467,550 (5) 467,575 (6)	х	х	25	2W	х	Х		
	457,5250 (11) 457,5375 (12) 457,5500 (13) 457,5625 (14) 457,5750 (15) 467,5250 (21) 467,5375 (22) 467,5500 (23) 467,5625 (24) 467,5750 (25)	х	х	12,5	2W	х	Х	For Belgian ships : SSL must refer to the UHF frequencies	https://www.bipt.be/public/files/
Belgium (updated Nov.18)	457,515625 (102) 457,515625 (102) 457,528125 (111) 457,528125 (112) 457,534375 (121) 457,540625 (122) 457,546875 (131) 457,553125 (132) 457,559375 (141) 457,565625 (142) 457,571875 (151) 457,578125 (152) 457,584375 (161)							Ships from abroad: SSL is OK All the frequencies mentioned in footnote RR 5.287 are authorized for on-board communications in Belgium refers to the characteristic describes in Rec. ITU-R M.1174-3	en/22661/Communication_seago ing_vessels_UHF-bandpdf Belgium - scarce resources_mededelin
	467,515625 (202) 467,521875 (211) 467,528125 (212) 467,534375 (221) 467,540625 (222) 467,546875 (231) 467,553125 (232) 467,559375 (241) 467,565625 (242) 467,571875 (251) 467,578125 (252) 467,584375 (261)	х	х	6,25	2W	х	Х		

Country	Frequency (MHz)	International allocation RR 5.287	National allocation (allowed for visiting ships)	Channel spacing (kHz)	Max output power (ERP) (W)	Simplex (S)	Duplex (D)	Remarks/other requirements	Additional Information (URL)
	457.525 457.550 457.575 467.525 467.550	X	Х	25	2W	S	D	Ship Station Licence must refer to UHF use	http://tablice.hakom.hr:8280/vis?lang= hr
Croatia	467.575 457.5375 457.5625 467.5375 467.5625	X	X	12.5	2W	S	D	Ship Station Licence must refer to UHF use	http://tablice.hakom.hr:8280/vis?lang= hr
Republic of Cyprus	457.525-457.575 MHz 467.525-467.575	X						Maritime on board communications Maritime on board communications	ERC REC T/R 32-02, EN 300 720 or equivalent standard ERC REC T/R 32-02, EN 300 720 or equivalent standard
Czech Republic	MHz N/A							VHF frequencies are used on inland waterways in the Czech Republic. Impact of land mobile networks operated on territory of the Czech Republic in these bands on onboard communications is excluded by distance.	Recreation boats at sea use also VHF. There are no commercial oceangoing vessels under the Czech flag since 2000.
	457.525 457.550 457.575 467.525 467.550 467.575	X		25 and 12.5	2w	S	D	Licence exempt i Denmark when used on board ships with a Ship Station Licence. Technical characteristics according Rec ITU-R M.1174	In addition we have issued a smal number of licenses to shipyards etc
Denmark	457.5375 457.5625 467.5375 467.5625	Х		12.5	2w	S	D	Licence exempt i Denmark when used on board ships with a Ship Station Licence Technical characteristics according Rec ITU-R M.1174	In addition we have issued a smal number of licenses to shipyards etc.
Estonia (update: 28/10-19)	457.525 457.550 457.575 467.525 467.550 467.575	Х		25	2		D	Estonian ships: Ship station licence must refer UHF devices; visiting ships: ship station licence must refer UHF devices. For onboard communication only. Duplex separation shall be 10 MHz if duplex mode is used.	www.tja.ee info@tja.ee

Country	Frequency (MHz)	International allocation RR 5.287	National allocation (allowed for visiting ships)	Channel spacing (kHz)	Max output power (ERP) (W)	Simplex (S)	Duplex (D)	Remarks/other requirements	Additional Information (URL)
	457.600 458.600				2		D	For passenger ships only; ship station	
	458.625 458.725 458.8 467.6		X	12,5	1 1 1 2	S	D	licence must refer to UHF use; for onboard communication only;	
	457.5250 457.5375 457.5500 457.5625 457.5750 467.5250 467.5375 467.5500 467.5625 467.5750	Х		12,5	2	S	D		
	457.515625 457.521875 457.528125 457.528125 457.540625 457.553125 457.553125 457.565625 457.571875 457.578125 457.515625 467.521875 467.528125 467.528125 467.534375 467.540625 467.540625 467.553125 467.553125 467.559375 467.565625 467.571875 467.571875	X		6,25	2	S	D	Estonian ships: Ship station licence must refer UHF devices; visiting ships: ship station licence must refer UHF devices. For onboard communication only. Duplex separation shall be 10 MHz if duplex mode is used.	

Country	Frequency (MHz)	International allocation RR 5.287	National allocation (allowed for visiting ships)	Channel spacing (kHz)	Max output power (ERP) (W)	Simplex (S)	Duplex (D)	Remarks/other requirements	Additional Information (URL)
	467.584375								
	457.525 457.550 457.575 467.525 467.550 467.575	X		25	2W	S	D	Ship Station Licence must refer to UHF use Only for onboard communication See notes 1 and 2	WEB-pages under review New address to be issued later
Finland	457.5375 457.5625 467.5375 467.5625	X		12.5	2W	S	D	Ship Station Licence must refer to UHF use. Only for onboard communication See notes 1 and 2	WEB-pages under review New address to be issued later
	458.600 458.625 458.725 458.800		Х	25	1W	S		For passenger vessels only For onboard communication only. For simplex mode only	WEB-pages under review New address to be issued later
	457.600		Х	25	2W	S	D	For voice communication only See notes 1 and 3	WEB-pages under review New address to be issued later
	467.600		Х	25	2W	S	D	For voice communication only See notes 1 and 3	WEB-pages under review New address to be issued later
France	457.525 457.550 457.575 467.525 467.550 467.575 457.5375 457.5625 467.5375 467.5625	X	457.525 457.550 457.575 467.525 467.550 467.575 457.5375 457.5625 467.5375 467.5625	25 25 25 25 25 25 25 12.5 12.5 12.5	2W 2W 2W 2W 2W 2W 2W 2W 2W 2W 2W	00000000000	D D D D D D D	Solely the frequencies quoted in N°5.287 are authorized for on-board communications in France using the characteristic describes in Rec. ITU-R M.1174-2	www.anfr.fr
	457.5125 to 457.5875 467.5125 to 467.5875	Х	Х	25	2	S	D	German ships: Ship Station Licence must refer UHF devices Visiting ships: Ship Station Licence must refer UHF devices	www.bundesnetzagentur.de seefunk@bnetza.de
Germany (updated Oct.18)	457.5125 to 457.5875 467.5125 to 467.5875	Х	Х	12.5	2	S	D	Only the frequency bands mentioned in footnote RR 5.287 may be used for onboard communications in Germany in accordance with Recommendation ITU-R M.1174-3	

Country	Frequency (MHz)	International allocation RR 5.287	National allocation (allowed for visiting ships)	Channel spacing (kHz)	Max output power (ERP) (W)	Simplex (S)	Duplex (D)	Remarks/other requirements	Additional Information (URL)
	457.5125 to								
	457.5875	Х	Х	6.25	2	S	D		
		^	^	0.23					
	467.5125 to								
	467.5875								
Hungary	_							In Hungary no frequencies are allocated in the UHF band for onboard communications.	Earlier UHF frequencies were allocated for inland waterways onboard communications but it is no demand for these applications at present.
Ireland	As per International allocation RR 5.287		As per Internation al allocation RR 5.287. (Visiting ships must operate on a non-interferenc e basis)	As per Internat ional allocati on RR 5.287	As per Internation al allocation RR 5.287			All vessels using UHF for on-board communications must note this on their application for Ships Radio Licence. The licence is approved if the equipment is within the ITU frequency allocations for on-board UHF communications.	International allocation RR 5.287 does not interfer with any licenced shore based staions in Ireland.
Italy	457.525 457.550 457.575 467.525 467.550 467.575	Х		25	2W	S	D	See note 4	www.sviluppoeconomico.gov.it
,	457.5375 457.5625 467.5375 467.5625	Х		12.5	2W	S	D	See note 4	www.sviluppoeconomico.gov.it
	457.525 457.550 457.575 467.525 467.550 467.575	Х		25	2W	S	D	Ship Station Licence must refer to UHF use Only for onboard communication See notes 1 and 2	
Latvia	457.5375 457.5625 467.5375 467.5625	Х		12.5	2W	S	D	Ship Station Licence must refer to UHF use Only for onboard communication See notes 1 and 2	
	457.525 457.550	Х		25	2			Only for onboard communication.	

Country	Frequency (MHz)	International allocation RR 5.287	National allocation (allowed for visiting ships)	Channel spacing (kHz)	Max output power (ERP) (W)	Simplex (S)	Duplex (D)	Remarks/other requirements	Additional Information (URL)
Luxembourg (updated Feb.18)	457.575 467.525 467.525 467.550 467.575 457.5375 457.5625 467.525 (1) 457,525 (1) 457,550 (2) 457,575 (3) 467,525 (4) 467,525 (4) 467,575 (6) 457,5250 (11) 457,5250 (11) 457,5375 (12) 457,5375 (12) 457,5500 (13) 457,5625 (14) 457,5750 (15) 467,5250 (21) 467,5250 (21) 467,5250 (21) 467,5250 (21) 467,5250 (21) 467,5250 (21) 467,5250 (21) 467,5250 (21) 467,5250 (21) 467,5250 (21) 467,5250 (21) 467,5375 (12) 457,540625 (12) 457,540625 (12) 457,540625 (12) 457,540625 (12) 457,540625 (12) 457,540625 (12) 457,540625 (12) 457,540625 (12) 457,540625 (12) 457,540625 (12) 457,540625 (12) 457,540625 (12) 457,540625 (12) 457,540625 (12) 457,540625 (12) 457,540625 (12) 457,540625 (12) 457,540625 (12) 457,540625 (12) 457,559375 (141) 457,559375 (141) 457,565625 (142) 457,578125 (152) 457,584375 (161) 467,515625 (202) 467,521875 (211) 467,528125 (212) 467,534375 (221)	X		12.5 25 12,5	2 2W 2W	S	D D	In the case of equipment installed at a fixed point on the ship, the height of its antenna should not be more than 3.5 m above the level of the bridge Radio frequencies may be used without an individual authorization. Luxembourgish ships: Ship Station Licence must refer UHF devices Fees for frequency usage are applicable Visiting ships: /// Only the frequency bands mentioned in footnote RR 5.287 may be used for onboard communications on Luxembourgish sea-going ships in accordance with Recommendation ITU-R M.1174-3 not in use for Luxembourgish inland waterways (Rainwat agreement)	EN 300 720 ERC REC T/R 32-02 ITU-R M.1174 https://web.ilr.lu/FR/Professionnels maritime@ilr.lu
	467,540625 (222) 467,546875 (231) 467,553125 (232)								

Country	Frequency (MHz)	International allocation RR 5.287	National allocation (allowed for visiting ships)	Channel spacing (kHz)	Max output power (ERP) (W)	Simplex (S)	Duplex (D)	Remarks/other requirements	Additional Information (URL)
	467,559375 (241)				I	T		I	
	467,565625 (242)								
	467,571875 (251)								
	467,578125 (252)								
	467,584375 (261) 457.525	X		Х		2W	X	X	The SSL (SOLAS) covers all the
	457.550	^		X		ZVV	^	^	radiocommunications equipment
Malta	457.575								installed onboard Maltese ships.
Malta	467.525								motanea embeara manese empe.
	467.550								
	467.575								
	457.525	Х	X	25	2	Х	Х		
	457.550								
	457.575 467.525								
Montenegro (MNE)	467.550								
,	467.575								
	457.5375	х		12.5	2	Х	Х		
	457.5625								
	467.5375								
	467.5625			0.5	0147			0 " 1 (DD 5 007	
	457.525 457.550	x	x	25	2W	Х	Х	Sea usage allowed cf. RR 5.287 On Inland waterways only on Dutch	
	457.575							territory	
	467.525							termory	
The Netherlands	467.550								
	467.575								
	457.5375	x	x	12.5	2W	Х	Х		
	457.5625								
	467.5375 467.5625								
	457.5125	X	Х	25	2	S	D	Ship Station Licence must refer to UHF	A small number of licenses to
	to	^	^	12,5	_			use.	shipyards etc.
Norway	457.5875			6,25					
(updated Oct.18)	467.5125			•				May be used for on-board	
	to							communications in accordance with RR	
	467.5875	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		0.5				No. 5.287 and ITU-R M.1174-3.	N.C. ITH. (5
	457.550 457.555	X		25	2	Х	Х	Ship Station Licence must refer to	National Table of Frequency
Portugal	457.575 467.550							allowed UHF frequencies.	Allocations
Portugal	467.575							See notes 1 and 2	http://www.ananana.com
									http://www.anacom.pt/render.jsp?cont entId=1130054

Country	Frequency (MHz)	International allocation RR 5.287	National allocation (allowed for visiting ships)	Channel spacing (kHz)	Max output power (ERP) (W)	Simplex (S)	Duplex (D)	Remarks/other requirements	Additional Information (URL)
	457.5375 457.5625 467.5375 467.5625	X		12.5	2	X	Х	Ship Station Licence must refer to allowed UHF frequencies. See notes 1 and 2	National Table of Frequency Allocations http://www.anacom.pt/render.jsp?contentd=1130054
Romania	-	-	-	-	-	-	-	In Romania UHF frequencies for on- board communications are not allowed for mobile maritime service (also for visiting ships which are supposed to switch off all radio equipment using UHF frequencies during their visit).	For Inland Waterways, mixed areas (maritime/Inland Waterways) and harbor areas in Romania it is allowed the usage of VHF channels 15 and 17 with transmitting power of 1 W for onboard communications. We consider that for the time being the usage of these 2 VHF channels is enough to accommodate this activity at least inside of our national waters.
Serbia (see comments below)									mode of our maneries maneries
Slovak Republic	457.525 457.550 457.575 457.600	Х		25	10		D	Frequencies 457.525 MHz, 457.550 MHz and 457.575 MHz are allocated for Railway transportation.	The band 457.39 - 458.47 MHz railway aplication; duplex +10 MHz; raster 25 kHz; from 1.1.2015 planned 12.5 kHz raster only.
	457.525 457.550 457.575 467.525 467.550 467.575	Х		25	2W	S	D	Ship Station Licence must refer to UHF use Only for onboard communication See notes 1 and 5	www.apek.si
Slovenia	457.5375 457.5625 467.5375 467.5625	X		12.5	2W	S	D	Ship Station Licence must refer to UHF use Only for onboard communication See notes 1 and 5	www.apek.si
Spain									These frequency bands are only used by railway communications in Spain
	457.525 457.550 457.575 467.525 467.550 467.575	X		25	2W	S	D	Not included in general SSL. Need to be applied for explicitly and is stated in the Ship Station Licence. Only for onboard communication See notes 1 and 2	www.pts.se

Country	Frequency (MHz)	International allocation RR 5.287	National allocation (allowed for visiting ships)	Channel spacing (kHz)	Max output power (ERP) (W)	Simplex (S)	Duplex (D)	Remarks/other requirements	Additional Information (URL)
					1				
	457.5375 457.5625 467.5375 467.5625	X		12.5	2W	S	D	Automatically included in case above on-board frequencies are applied for.	www.pts.se
Switzerland								No further proposals, Switzerland is not directly concerned.	
Türkiye (country name updated)								There is no usage in Türkiye for UHF on board communication.	
Ukraine	457.525	X		25		2W	X	X	In accordance with footnote Y043 of Ukrainian frequency allocation table, the frequencies 457.525 MHz, 457.550 MHz, 457.575 MHz, 467.525 MHz, 467.550 MHz and 467.575 MHz are designated for UHF on-board communications in the international waters. In the National Plan of Radio frequency resource usage these frequencies are not defined for UHF on-board communication. There is no information about frequency assignments at these frequencies in the UCRF database and there are no permissions issued for these frequencies at the present time.
United Kingdom – Ships Radio Licence	457.525 457.550 457.575 467.525 467.550 467.575	X		25		2VV	Х	X	Ship Station Licence must refer to UHF use. Only for onboard communication See notes 1 and 2
	457.5375 457.5625 467.5375 467.5625	Х		12.5	Х	2W	Х	X	Ship Station Licence must refer to UHF use. Only for onboard communication See notes 1 and 2
United Kingdom Scanning	457.525 457.550 457.575				X Interleaved with below. 6,25 kHz offset	250W		X See note 6	Base Station transmit frequencies for Scanning Telemetry systems. EIRP output is assigned but will not exceed 250 W (24 dBW). Should not be assigned near coast or estuaries

Country	Frequency (MHz)	International allocation RR 5.287	National allocation (allowed for visiting ships)	Channel spacing (kHz)	Max output power (ERP) (W)	Simplex (S)	Duplex (D)	Remarks/other requirements	Additional Information (URL)
Telemetry (fixed narrow band, Point to Multi Point)	457.5375 457.5625				X Interleaved with above. 6.25 kHz offset	250W		X See note 6	Base Station transmit frequencies for Scanning Telemetry systems. EIRP output is assigned but will not exceed 250 W (24 dBW). Should not be assigned near coast or estuaries

- Note 1 (FIN, LVA, POR, SVN, S, UK): Duplex separation shall be 10 MHz, if duplex mode is used.
- Note 2 (FIN, LVA, POR, SVN, S, UK): If frequencies are used in a repeater or base stations onboard, the transmitting frequency of the repeater or base station shall be in the LOWER frequency (for example transmitter frequency 457.525 MHz and receiver frequency 467.525 MHz) (Rec ITU-R M.1174).
- Note 3 (FIN): When using the frequencies 457.600 and 467.600 MHz in a repeater or base stations onboard, the transmitting frequency of the repeater or base station shall be in the UPPER frequency (transmitter in 467.600 MHz and receiver in 457.600 MHz).
- Note 4 (I): In territorial waters it is allowed the use of frequencies 457.550 MHz and 467.550 MHz with 12.5 kHz channeling while the use of other frequencies is permitted on non-interference basis with radio services operating according to the National table of Frequency Allocation. The characteristics of the equipment used shall be compliant to the specifications given in Recommendation ITU-R M.1174
- Note 5 (SVN): If frequencies are used in a repeater or base stations onboard, the transmitting frequency of the repeater or base station shall be in the Lower frequency (Rec ITU-R M.1174).
- Note 6 (UK): Duplex separation for Out Station transmit in 5.5 MHz above base station transmit.

*In Spain, these bands are not used for maritime on board communications, because we have found several interference problems to the railway communications near the harbours.